2650-83

AHD Smoke Detector Covert Camera



Key Vaule Highlight

- Covert design

The users can have advances for their investigation by setting up a 2650-83 AHD Smoke Detector Covert Camera. Hidden inside the Smoke Detector housing make the camera undetectable.

- Moving object capturing

2650-83 AHD Smoke Detector Covert Camera is capable of capturing moving objects and deliver less blurry image which is value for POS area, entrance or exit.

- HD Image Detail

The 2650-83 AHD Smoke Detector Covert Camera can provide image detailed in 2MP HD resolution with its 1/2.8 inch CMOS sensor.

- Night Vision

2650-83 AHD Smoke Detector Covert Camera is able to see the external infrared at night with built-in IR cut filter and photocells control.

- Re-use the coxial cable.

The user can re-use existed coaxil cable to ugprade the analog system to HD CCTV with 2650-83 AHD Smoke Detector Covert Camera.

Typical Application

Retail

Convenience Store

Workshop

Logistics center

and others

GOLBONG

Specification

Power	
Input voltage	+12 VDC
Power consumption	4.5 W (max)
Video	
Sensor type	1/2.8 Type SONY Exmor CMOS Sensor
Sensor pixels	1920x1080
Sensitivity	1.0 lx (IR off)
Resolution	1920x1080
Video Output	1 composite video 1 Vpp 75 ohm automatic termination
Day & Night	photocells control
Shutter	Auto (1/50(1/60)s to 1/10,000s)
AGC	Auto
Night vision	
LED	N/A
Lens	
Lens type	3.7mm
Field of View	H: 82°
Lens mount	Board mounted
Day & Night	IR Cut filter
Mechanical	
Dimensions	130*50mm
Weight	ТВА
Environmental	
Operating temperature Camera	-20 °C to +55 °C (-4 °F to +131 °F)
Storage temperature	-20 °C to +70 °C (-4 °F to +158 °F)
Humidity	10% to 80% relative humidity (non condensing)
Ordering Informati	ion
AHD Smoke Detector Covert Camera	2650-83

GOLBONG

Guangzhou

No.3 East Alley, Guangfeng East Road, Zengchen District, Guangzhou,, 511300, P.R.China

Tel: +86-20-8244-2660 Fax: +86-20-8274-5925 Email: sales@golbong.com

Shenzhen

1/F Block 295, Jiuwei, Xixiang Town, Baoan District, Shenzhen, 518000, P.R.China Tel: +86-755-81465995 Fax: +86-755-81469770 Email::sales@golbong.com

© Golbong Technologies | Data subject to change without notice Cur: en-US, V1, 7 July 2016